

2025
2026



AUTHENTIC POWER

Cordless | Pneumatic Solutions

Tools
that matter
for your work



DW-404A[KIT]**CORDLESS IMPACT WRENCH**• **Rp 6,250,000****4 pieces in one carton**

- 2pcs 5.0Ah Li-ion battery
- 1pc charger

- 4-speed power selection offers precise fastening control.
- Tool with a reverse loose stop mode for added convenience.
- The bare tool weighs only 1.2 kg, ensuring lightweight and easy handling.

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M6-M16
Max. Torque	660 (ft-lb) / 900 (Nm)
No Load Speed (RPM)	0-900 / 0-1400 / 0-1800 / 0-2200
Impact Rate (IPM)	0-1150 / 0-1700 / 0-2300 / 0-2500
Overall Length	130 (mm)
Weight (bare tool)	1.2 (kg) / 2.6 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

**DW-406A[KIT]****CORDLESS IMPACT WRENCH**• **Rp 7,698,000****3 pieces in one carton**

- 2pcs 5.0Ah Li-ion battery
- 1pc charger

- 3-speed power selection ensures precise fastening control.
- Features a reverse loose stop mode for added functionality.
- The bare tool weighs only 2 kg, offering a balanced and manageable design.

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M10-M25
Max. Torque	1200 (ft-lb) / 1600 (Nm)
No Load Speed (RPM)	0-1400 / 0-1900 / 0-2400
Impact Rate (IPM)	0-1800 / 0-2000 / 0-2800
Overall Length	172 (mm)
Weight (bare tool)	2.0 (kg) / 4.4 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

**DW-601A[KIT]****CORDLESS IMPACT WRENCH**• **Rp 10,162,000****2 pieces in one carton**

- 2pcs 5.0Ah Li-ion battery
- 1pc charger

- The BL Motor delivers up to 1,000 ft. lbs. of maximum torque and 1,400 ft. lbs. of breakaway torque.
- A 3-speed power selection switch (0-900 / 0-1,000 / 0-1,700 RPM & 0-1,800 / 0-2,000 / 0-2,200 IPM) provides precise fastening control.
- Features a 3/4" anvil with a friction ring for quick and easy socket changes.
- The BL Brushless Motor eliminates carbon brushes, allowing it to run cooler and more efficiently, ensuring a longer lifespan.
- The efficient BL Brushless Motor is electronically controlled to optimize battery energy use, delivering up to 50% longer run time per charge.
- For enhanced performance, use the DB-1850P battery.

Square Drive	3/4" / 19 (mm)
Bolt Capacity	M10-M27
Max. Torque	1400 (ft-lb) / 1900 (Nm)
No Load Speed (RPM)	0-900 / 0-1000 / 0-1700
Impact Rate (IPM)	0-1800 / 0-2000 / 0-2200
Weight (bare tool)	3.4 (kg) / 7.4 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

1900 Nm

Patented
Shock Absorption Body

DS-10202A


CORDLESS IMPACT DRIVER

5 pieces in one carton

- Max Torque: 73 ft-lb / 100 Nm.
- Battery: Includes 2 pieces for extended usage time.
- LED light: Illuminates the working area for better visibility.
- Compatibility: Battery is applicable to all M7 10.8V cordless models.

Chuck Size (Hex)	1/4" / 6.35 (mm)
Bolt Capacity	M4-M12
Max. Torque	73 (ft-lb) / 100 (Nm)
No Load Speed (RPM)	0-2200
Impact Rate (IPM)	0-3000
Weight	1.0 (kg) / 2.2 (lbs)
Rating Voltage	10.8 (V)
Completely Charged	12 (V)
Battery	Li-ion 2.0 Ah

• Rp 2,612,000




DS-202A[KIT]

CORDLESS IMPACT DRIVER

4 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- 3 forward functions designed for specific applications: wood, thin iron sheets, and thick iron sheets.
- Reverse loose stop function for added convenience.
- Compact overall length of 110 mm.
- Bare tool weight of only 1.0 kg.

Chuck Size	1/4" / 6 (mm)
Bolt Capacity	M5-M12
Max. Torque	200 (ft-lb) / 270 (Nm)
No Load Speed (RPM)	0-1200 / 0-1900 / 0-2500 / 0-3200
Impact Rate (IPM)	0-1400 / 0-1800 / 0-3500 / 0-4000
Weight (bare tool)	1.0 (kg) / 2.2 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 / 2.5 Ah



DD-101A[KIT]

CORDLESS DRILL DRIVER

2 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- 1pc auxiliary handle

- Impulse function is perfect for pilot drilling on glossy surfaces and removing damaged screws.
- Features a 1/2" ratcheting single-sleeve metal keyless chuck for effortless bit changes.
- LED light: Illuminates the working area for better visibility.
- Electric brake quickly halts chuck rotation for enhanced safety and efficiency.

Chuck Size	1/2" / 13 (mm)
Max. Torque	73 (ft-lb) / 90 (Nm)
Max. Drill Capacity	steel 13 / wood 60 (Nm)
No Load Speed (RPM)	0-500 / 0-2000
Torque setting	23+1+1
Weight (bare tool)	1.4 (kg) / 3.0 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

• Rp 5,422,000



• Note: This tool is attached an auxiliary handle



DRH-101A[KIT]

CORDLESS ROTARY HAMMER

2 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger

- Three operating modes: Drill, Impact, and Chisel.
- Rotation Stop Mode: Enhances versatility by allowing chiseling applications without rotation.
- LED light: Illuminates the working area for better visibility.
- Includes an auxiliary handle for improved control and comfort during operation.

Chuck Type	SDS Plus
Impact Energy	2.6 (J)
No Load Speed (RPM)	1150
Impact Rate (BPM)	5100
Weight (bare tool)	2.8 (kg) / 6.2 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



• Rp 7 ,295,000



DRS-101A[KIT]

CORDLESS RECIPROCATING SAW

3 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- Packaging: Color Box

- Blade stroke: 1-1/8" (29mm).
- LED work light with pre-light and afterglow.
- Electric brake quickly stops the blade rotation when the trigger is released.
- Bevel Gear Drive System.
- Tool-less Blade Change.

Stroke Length	1-1/8" / 29 (mm)
Strokes Per min	0-3100
Cutting Capacity	wood 200 / steel 20 (mm)
Overall Length	16-1/7" / 410 (mm)
Weight (bare tool)	2.7 (kg) / 6.0 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



• Rp 7,110,000



DRS-102A[KIT]

CORDLESS RECIPROCATING SAW

3 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- Packaging: BMC

- Tool-Less Shoe Adjustment: Allows for quick and easy setup, enhancing user convenience.
- LED light: Illuminates the working area for better visibility.
- Stops the blade instantly when the trigger is released, ensuring enhanced safety and control.
- Tool with a safety lock button for added operational security.

Stroke Length	25 (mm)
Strokes Per min	0-3100
Cutting Capacity	wood 160 / steel 16 (mm)
Overall Length	13-3/13" / 335 (mm)
Weight (bare tool)	1.8 (kg) / 3.9 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



• Rp 6,356,000



DG-585502A[KIT]

CORDLESS ANGLE GRINDER

2 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- 1pc Guard spanner
- 1pc Aux handle
- Tool-less adjustable guard allows for quick and convenient adjustments.
- Spindle lock enables fast and easy disc changes.
- 2-position handle offers flexibility and enhanced control.
- Lock-on switch ensures continuous operation for prolonged tasks.

Pad Dia	5" / 125 (mm)
Spindle Size	M14 x P2.0
No Load Speed (RPM)	8000
Tool length	11-1/4"
Weight (bare tool)	2.2 (kg) / 4.8 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



Note : The grinding wheel is not supplied along with the tool

● Rp 5,443,000

DHG-101A[KIT]

CORDLESS HEAT GUN

1 pieces in one carton

- 2pcs 5.0Ah Li-ion battery
- 1pc charger
- Reaches operational temperature in just 10 seconds.
- Variable speed control allows you to match speed to work piece and task at hand.
- Lock-off feature prevents accidental startups, ensuring user safety.

Airflow	200 (L/min)
Max Temperature	550 (°C)
Weight (bare tool)	0.6 (kg) / 1.4 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



● Rp 5,610,000

DDWV-104[KIT] NEW

CORDLESS BRUSHLESS VACUUM CLEANER

1 pieces in one carton

- Automatic Stop When Full: Automatically halts operation when water reaches maximum capacity, protecting the motor.
- Switchable to Blowing Mode: Ideal for clearing debris from hard-to-reach areas.
- Extended Telescopic Hose: 3.2 meters for added reach and flexibility.
- Working Time: High Power: 20 minutes; Low Power: 35 minutes (Based on 5.0Ah battery pack).
- Shoulder Strap and Swivel Wheels: Enhances portability and ease of use.
- Capacity: Holds up to 10L of dry waste or 8L of wastewater.

Maximum Suction Power (Low Gear)	9 (kpa)
Maximum Suction Power (High Gear)	16 (kpa)
Capacity (Water)	8 (L)
Capacity (Dust)	10 (L)
Telescopic Pipe Length	3.2 (M)
Run time (Low Gear)	35 (min)
Run time (High Gear)	20 (min)
Weight (bare tool)	4.1 (kg) / 9.1 (lbs)
Rating voltage	18 (V)
Completely charged	20 (V)



DDWV-900F
HEPA filter



DDWV-901
4 Rotary wheels



DDWV-902
Big brush & 3 pcs plastic tubes



DDWV-903
Nozzle



DDWV-904
Soft tube



DDWV-905
Strap

*Bare Unit Only (battery & charger sold separately)

CORDLESS TOOLS & ACCESSORIES

DLB-102

CORDLESS LEAF BLOWER

2 pieces in one carton

NEW

• Rp 1,613,000

- Two Air Ducts: Designed for easy installation and efficient airflow.
- Ergonomic Handle: Features a soft grip for enhanced comfort during use.
- Electronic Signal Switch: Provides easy and precise control.
- Versatile Applications: Suitable for lawn grooming, snow removal, and dust removal.

Air speed	45 (m/s)
Air capacity	460 (CFM)
Weight (bare tool)	2.6 (kg) / 5.7 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

*Bare Unit Only (battery & chargers sold separately)



DB-1850P

18V 5.0Ah LI-ION BATTERY

20 pieces in one carton

• Rp 1,895,000



DC-18A

18V BATTERY CHARGER

10 pieces in one carton

18V Li-ion Battery Charger
(For DB-1825/DB-1850/DB-1850P)

Rp 1,095,000 •





NC-4238

1/2" DRIVE Twin hammer type



10 pieces in one cartor



Rp 2,118,000

Exhaust


















NC-4255QH

EZ grease anvil

- EZ GREASE ANVIL
- For EZ grease version only



Rp 3,605,000

Item No.	Square Drive	Bolt Capacity	Torque Range	Max Torque		No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	Inch	Inch (mm)	ft-lb (Nm)	ft-lb	Nm	R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s²	Inch
															
NC-4238	1/2"	5/8"(16)	50-130(203-407)	400	542	7500	4.2(119)	90(6.3)	7-1/4"(186)	2.78	6.1	3/8"	93.2	4.4	1/4"
NC-4255QH	1/2"	1"(25)	200-800(271-1085)	1200	1627	8500	4.8(136)	90(6.3)	7-1/32"(178)	3.7	1.70	3/8"	85.0	4.7	1/4"

AUTHENTIC POWER

AIR IMPACT WRENCH

AIR IMPACT WRENCH



INC-4255QH-KIT

1/2" DRIVE

5 pieces in one cartor

Contents 11 pcs

- 1pc - 1/2" Air Impact Wrench
- 7pcs - Impact sockets, MA411M13, 17, 19, 21, 22, 24, 27
- 1pc - 5 " Extension bar
- 1pc - Mini Lubricator SW-12
- 1pc - 1/4" plug

Rp 4,816,000



Exhaust

Composite material

2.3 KG



High cost-performance ratio.

INC-6255QH

3/4" DRIVE Twin hammer type



8 pieces in one cartor

Rp 4,565,000



Item No.	Square Drive	Bolt Capacity	Torque Range	Max Torque		No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	Inch	Inch (mm)	ft-lb (Nm)	ft-lb	Nm	R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s ²	Inch
NC-6255QH	3/4"	1"(25)	200-1100(271-1491)	1400	1898	8500	4.8(136)	90(6.3)	7-13/16"(198)	4.2	1.9	3/8"	85.0	4.7	1/4"



Rp 1,570,000

Rubber handle

NE-361
3/8" DRIVE



20 pieces in one carton

- Push-trigger design.

















Rp 1,706,000

NE-4808
1/2" DRIVE



10 pieces in one carton

Item No.	Square Drive	Torque Range		Max Torque		No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	Inch	ft-lb (Nm)	ft-lb	Nm	R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s²	Inch		
																
NE-361	3/8"	10-35(13.5-47)	37	50	230	4.0(130)	90(6.3)	6-5/16"(160)	1.1	0.5	3/8"	88.0	3.0	1/4"		
NE-4808	1/2"	10-55(13.5-74)	80	108.8	180	4.0(113.28)	90(6.3)	12"(280)	2.8	1.3	3/8"	95.0	3.6	1/4"		

AIR DIE GRINDER

AIR DIE GRINDER

QA-0115A

AIR DIE GRINDER 15PCS KIT



10 pieces in one cartor

- 1pc - Air Die Grinder (QA-111 / QA-211)
- 1pc - Collet (3 mm or 1/8")
- 2pcs - Spanner Wrench
- 5pcs - Grinder Stone (3 mm or 1/8")
- 5pcs - Shank Stone (6 mm or 1/4")
- 1pc - Plug (adapter)

Rp 1,715,000



QA-0615A

AIR DIE GRINDER 15PCS KIT



10 pieces in one cartor

- 1pc - Air Die Grinder(QA-611)
- 1pc - Collet (3 mm or 1/8")
- 2pcs - Spanner Wrench
- 5pcs - Grinder Stone (3 mm or 1/8")
- 5pcs - Shank Stone (6 mm or 1/4")
- 1pc - Plug (adapter)

Rp 2,142,000



QA-111



QA-611

MICRO AIR DIE GRINDER

High cost-performance ratio.

QA-511
ENGRAVING PEN

20 pieces in one carton



Rp 1,512,000

Item No.	Collet Size	Collet Size	No Load Speed	Blow Per Minute	Avg. Air Consumption	Air Pressure	Overall Length	Hose Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	A mm	B inch	R.P.M	bpm	CFM (L/min)	PSI (bar)	Inch (mm)	mm	LBS	kg	Inch	dBA	m/s²	Inch
QA-511	---	---	---	13000	1.0(29)	90(6.3)	5-1/2"(140)	1420	0.5	0.2	3/8"	78.0	0.6	1/4"

AIR ANGLE GRINDER

QB-134X
Roll type throttle

10 pieces in one carton



Rp 2,280,000

Item No.	Pad Dia / Arbor Size	Spindle Size	No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Motor	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	inch(mm)		R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	HP	LBS	kg	Inch	dBA	m/s²	Inch
QB-134X	4"(100x16)	M10xP1.5	11000	6.0(170)	90(6.3)	9"(230)	0.78	4.0	1.8	3/8"	89.0	1.2	1/4"

AIR HAMMER



SN-1032

AIR FLUX CHIPPER



12 pieces in one carton

• Include the chisel



Rp 2,439,000

Item No.	Shank	Chunk Size	Stroke Length	Blow Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
		inch(mm)	mm	b.p.m	CFM (L/min)	PSI (bar)	inch(mm)	LBS	kg	Inch	dBA	m/s ²	Inch
SN-1032		0.51(13)	33	4000	4.23(120)	90(6.3)	11-1/2"(290)	2.9	1.3	3/8"	91.0	14.5	1/4"

AIR NEEDLE SCALER

SN-1268

AIR NEEDLE SCALER



6 pieces in one carton



Rp 3,319,000

SN-2110

AIR PISTOL GRIP NEEDLE SCALER



6 pieces in one carton

Rp 3,896,000

Item No.	Needle Diameter	Numbers of Needle	Stroke Length	Blow Per Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	mm	inch(mm)	mm	b.p.m	CFM (L/min)	PSI (bar)	inch(mm)	LBS	kg	Inch	dBA	m/s ²	Inch
SN-1268	3x180	19	28	4600	15(424)	90(6.3)	18-1/8"(460)	6.2	2.8	3/8"	91.0	13.7	1/4"
SN-2110	3x180	19	33	3700	15(424)	90(6.3)	13"(330)	6.1	2.8	3/8"	97.0	9.7	1/4"

AUTHENTIC POWER

DIGITAL TORQUE WRENCH

★★★  GTW-606060

3/4" DIGITAL TORQUE WRENCH Accuracy : clockwise +/- 1.5% counterclockwise +/- 2.5%

1 pieces in one carton

Rp 21,904,000




★★★  GTW-810100

1" DIGITAL TORQUE WRENCH Accuracy : clockwise +/- 1.5% counterclockwise +/- 2.5%

1 pieces in one carton

Rp 28,359,000



Item No.	Drive	Gear	Torque Range		Indicator	Torque Adjusting	D	H	L	Weight
	Inch	T	Nm	ft-lb	LCD		mm	mm	mm	kg
GTW-606060	3/4"	24	60-600	44.3-442.5	LCD	Digital	63	60	943	3.8
GTW-810100	1"	24	100-1000	73.8-737.6	LCD	Digital	70	70	1235	4.9